
Index

- . (directory self pointer), 444
- .. (parent directory), 444
-
- action** attribute, 188
- active** display style, 58
- Active Pages, 17
- Active server pages, 17
- Active Server Pages (ASP), 17
- Adobe Flash, 66
- Advertisements, 100
- AJAX, 504–511
 - applying XSL, 509–510
 - auto completion, 504–507
 - file upload, 520–523
 - file upload tool, 523
 - http requests, 510–511
 - JavaScript support, 504
 - verify address, 519–520
 - what is, 504
- alert** method, 241
- Aliasing images, 66–67
- Alignment, 25
 - default, 39
 - text, 45–46
- Alpha channels, in PNG format, 66
- Angle brackets (< >), 30, 35
- Animation
 - setInterval**, 255
 - setTimeout**, 255
- Anti-aliasing images, 66–67
- Apache Web server, 440–458
 - components, 440
 - configuration, 451–458
 - directives, 452–453
 - file deflation, 460–461
 - install, 463–467
 - modules, 440, 453
- PHP module, 469–470
- URI mapping, 461–462
- virtual hosting, 462–463
-
- apache2ctl** (Linux command), 451
- apachectl** (Linux command), 451
- API, 111
- Applet embedding, 84–85
- Application programming interfaces (APIs), 270
- Approximation, of color, 67
- apt-get** (Linux command), 483
- aptitude** (Linux command), 483
- Arithmetic
 - calculator for, 275–277
 - computations in, 226
- ASP (Active Server Pages), 17
- Atom, 489–490
- Attaching style sheets, 114–115
- Attr** nodes, 274
- Attribute
 - action**, 188
 - Boolean, 36
 - class**, 37
 - hidden**, 37
 - id**, 37
 - style**, 37
 - title**, 37
- Attributes
 - Boolean, 177
 - core, of HTML5, 37
 - event-handling, 218
 - in HTML, 35
 - style**, 125
- Audio
 - analog, 78
 - format converter, 79
 - MP3, 78

- sampling theorem, 78
- audio** attributes, 80
- Audio formats, 78–79
- Authority, for name server zones, 14
- Automargins, 118
- AVI format, 81
- Background
 - color, 284
 - image, 95
- background-color** property, 116, 160
- background-position** property, 150
- base** element, 77
- Berners-Lee, Tim, 33
- Block elements, 158
- Block mode, 134
- body** element, 36
- body** node, 270
- Boldface type, 43
- Bookmarks, 31, 102
- Boot files, 15
- border-bottom** property, 138
- border-left** property, 138
- border-right** property, 138
- border-style** property, 137
- border-top** property, 138
- border-width** property, 137
- Borders, 133
- Box shadows, 145–146
- Boxes
 - check, 177
 - inline, 135
 - line, 135
- Brackets, angle (< >), 30, 35
- Branding, 102
- Breaks, line, 39
- Brightness, 66
- Broken links, 26
- Browser Market Shares, 6
- Browser viewport, 581–582
- Browsers, 6
 - as host environment, 216
 - text-only, 33
- Browsing context, 103
- Bullet lists, 50
- Button label, 178
- Buttons
 - radio, 174–175
 - submit, 178–179
- Cache manifest, 597
- Calculators
 - arithmetic, 275–277
 - conversion, 225–226
 - session-recording, 290–291
- Canvas
 - clearRect** method, 317
 - color gradients, 320–321
 - compositing, 319–320
 - drawing animation, 322–323
 - drawing images, 323
 - drawing shapes, 317–321
 - drawing text, 323
 - fillRect** method, 316
 - fillStyle** values, 317
 - first example, 316–317
 - rendering context, 316
 - strokeRect** method, 317
 - strokeStyle** values, 317
 - transforms, 320–321
- CAPTCHA, 367
- Captions, 118
- Cascading style sheets (CSS), 111
 - basics, 112–115
 - conflicting rules in, 124–125
 - selectors in, 123
 - validation of, 165
- Case sensitivity, 36
- cd** (Bash command), 444
- Centered page, 118, 119
- Centering
 - CSS, 117–118
 - tables, 89–90
- Certificate Authority, 468
- CGI, 192
- CGI (Common Gateway Interface), 16
- cgi-bin, 193, 439
- Check boxes, 177
- Checkboxes, 175–176

- Checkout, 426
Child elements, 33, 134
Child nodes, 270, 273
`childNode` parameter, 278
chkconfig (Linux command), 450
Client-side programming, 25
Client-side scripting, 19, 33
Clients, 5–6
Code examples
 Absolute, 158
 Accents, 97
 adduser.sql, 478
 AgentDate, 216
 Aggregate, 396
 AirportStatus, 516
 AJAXav, 519, 527
 AJAXUpload, 520, 523, 526
 Alert, 242
 Align, 87
 AMP, 371
 AMP_Img, 377, 380
 AnimClock, 543
 AnimPull, 237
 apacheGlobal.conf, 454
 AutoComplete, 505, 511
 BasicAuth, 347
 Bgclip, 149
 BirdsongMobile, 572, 574
 Border, 138
 BorderImg, 148
 Bubble, 550, 551
 Bullseye, 530
 BullseyeEmbed, 530
 Buttons, 143, 145
 CalcSession, 290
 Callout, 164
 CameraDemo, 588, 590
 Captcha, 367, 368
 Caption, 160
 Cart, 88, 89, 419
 CartForm, 185, 187
 Catalog, 491
 CatalogCss, 491
 CatalogOL, 493
 Catch, 550
 CenteredTable, 89
 CenterPage, 118
 CenterStyle, 118
 Checkboxes, 175
 Checkerboard, 539
 CheckerBorder, 539
 ChildNodes, 278
 Chinese, 97
 Circle, 141
 ClockAnim, 323, 326
 ClockFace, 320
 ClubForm, 330
 ColGroup, 93
 Collapse, 86
 Confirm, 242
 confphp, 469
 Convert, 225
 Ctc, 318
 DbAuth, 406
 deflate.conf, 460
 Defs, 52
 DemoSite, 581
 Derivative, 560
 Detect, 584
 DirList, 341
 docroot.conf, 454
 DomCalc, 275, 290, 325
 DomDft, 280, 282, 325
 DomNav, 283, 325
 DomSort, 296, 301
 Elastic, 139, 140
 Entity, 96
 EtagPage, 474
 FieldSet, 183
 FigCap, 64
 FileDnd, 313
 FileUpload, 179, 210
 FirstPage, 31, 37
 Fixed, 160
 FixedNav, 159
 FlashAudio, 83
 FlashVideo, 83
 flexibleprotect.conf, 458
 Float, 61
 FloatClear, 62

FloatLayout, 126, 130
folderprotect.conf, 456
FontFamily, 48
FontSize, 46
FormAction, 200, 201
FormBP, 339
FormLayout, 184
FormPattern, 251, 252
GenAttr, 163
Generated, 162
GeoDir, 592, 594
GeoMap, 591
Gradient, 153
Greek, 98
GreenEarth, 38
Headline, 258
Hello.php, 193, 194
HelloCanvas, 316
HostConf, 472
Hrule, 41
htaccess.conf, 456
HTMLCode, 405
htprotect.conf, 455
Http, 22
ImageInput, 179
ImageUpload, 303
ImgAlign, 62
ImgComp, 86
ImgLink, 60
Infix2Mathml, 556, 560
info.php, 470
InlineQuote, 40
Inset, 146
IStrip, 587
JoinClub, 201
JSHttpGet, 504
JSHttpPost, 504
KeyEvent, 263, 264
KeyFrames, 257
Knocking, 552, 554
Layout, 72
LineEq, 560, 564
List, 51
LiveFM, 79
LoginSession, 365
makeapache.bash, 466
ManageOrder, 427
MarkerStyle, 53
MathMDemo, 531
Member, 402
Menu, 232, 267
MenuFade, 235
Mirror, 541
MultiCol, 120
MultiFile, 211
myadmin.install, 480
NasaVideo, 82
Navbar, 58
Navbar.php, 197
NavbarClass, 381, 384
NavPanel, 131, 133
NSLookup, 15
OptGroup, 177, 207
OrdersDatabase, 410, 411, 432,
 436
OrderUserInterface, 413, 418
PageFrontClass, 382, 384
PaginateDemo, 422, 424
PatternCheck, 182
PDF, 84
PDT, 430
peruser.conf, 454
PHPErr.ini, 471
PHPEtag, 474, 476
PHPXsl, 502
Pizza, 353
Placeholder, 172
Planets, 69, 70
Playlist, 261, 268
PointClass, 380
PopupWindow, 243
Pre, 42
PRI, 80
Products, 197, 198
Prompt, 242
PullDown, 176
Quote, 40
Radial, 154
RadioButton, 175
Rainbow, 154

Relative, 157
Remove, 550
RequestForm, 213
RollClock, 548
RollImg, 219, 221
RowGroup, 93
RSS, 489
SampleInput, 174
Scroll, 254
SecNum, 162, 163
ShowRequest, 207
SimpleForm, 170
SimpleTable, 86
SimpleVideo, 82
SimpleXMLDemo, 501
SlideKey, 262
Slides, 221, 262
SlidingMenu, 241
SmartForm, 292, 295
SODJs, 507
SODXs1, 510
SortQ, 393
Spacing, 86
Spans, 91, 92
Sports, 10
Spotlight, 544, 545
StockChart, 103, 105
StopClock, 546
SVGclock, 537, 542
SVGScroll, 543
SVGshapes, 533
SVGTriangle, 534
Symbols, 97
TableLayout, 128, 130
TableNest, 94
TableWidth, 90
Template, 196
TextArea, 173
TextNodes, 274
TextOnPath, 535
TextOverflow, 142
TextShadow, 146
TicApp, 598, 599
TicSave, 602, 603, 606
TicTacToe, 308
TicTacToeApplet, 84
TowerOfHanoi, 309
Transform, 257
TwoCol, 119
validuser.conf, 457
Verify, 353
VideoControl, 226
Watermark, 368
WhichType, 277
WhoIs, 14
XmlData, 492
XSLCall, 498
XSLOutput, 509
XSLTemplate, 497
Zoom, 548
Codec, 78
col element, 93
colgroup element, 93
Collapsing
 margins, 137
 white space, 39, 41
Color
 background, 284
 in cascading style sheets, 116
 index, 67
 in raster images, 67
Comment tags, 33
Common Gateway Interface, 169, 192
Common Gateway Interface (CGI),
 16
compare call, 299
Compressed PHP Output, 472
Compression
 for raster images, 66
Compute
 element height, 240
 element position, 232
confirm method, 241
Connections, in HTTP, 188
Consistency, 95
Container for media, 79
Content, 133
 hierarchy of, 25
 site framework of, 24
Content management, 369–380

Content Type and File Suffix, 9
Content, types of, 8–9
Conversion calculator, 225–226
Copyright, 100
Core attribute
 dir, 107
 lang, 107
Core attributes, of HTML5, 37
Country-code top-level domains, 13
cp (Linux command), 445
`createElement` method, 289
CSS
 animation, 256–257
 at-rules, 156–157
 browser support, 155–156
 buttons, 143–145
 callout example, 164
 cascade rules, 165
 centering and indenting, 117–118
 color gradient, 151–156
 colors in, 47–48
 drop shadows, 145–148
 external file, 114–115
 for forms, 187
 form pseudo-class selectors, 187
 generated content, 123, 162–163
 history, 115
 inheritance, 113
 keyframes, 256
 length units, 46–47
 link styles, 123–124
 media query, 572–575
 page formatting, 133–136
 property types, 112
 pseudo-class selectors, 123
 selector specificity, 124–125
 selectors, 112, 121
 Style declarations, 112
 style for whole page, 115–117
 style rule, 113
 text fonts in, 48–50
 transform, 257–259
 transform functions, 258
 transitions, 233–234
CSS at-rules
 @font-face, 156
 @import, 156
 @media, 156
 @page, 157
CSS inspection, 165
CSS layout
 block-level box, 133
 inline box, 133
 line box, 133
CSS length
 em, **ex**, **ch**, 46
 cm, **in**, **mm**, **pc**, **pt**, **px**, 47
CSS properties, 125
 background, 155
 background-attachment, 151
 background-clip, 149
 background-color, 45, 95
 background-image, 150–151
 background-origin, 150
 background-size, 151
 border, 136–141
 border-collapse, 92
 border-color, 137–138
 border-image, 148–149
 border-radius, 140–141
 border-style, 137–138
 border-width, 137–138
 box-shadow, 145–146
 browser prefix, 120
 clear, 61
 color, 45, 95
 column-count, 119
 column-gap, 119
 column-rule, 119
 column-span, 120
 column-width, 119
 content, 162
 counter-increment, 162
 counter-reset, 162
 display, 134
 font-family, 95
 font-size, 46, 95
 font-style, 49
 font-variant, 49
 font-weight, 49

- line-height, 95
- list-style-image, 53
- list-style-position, 53
- margin, 90
- margin, 46, 95, 136–141
- max-height, 134
- max-width, 134
- min-height, 134
- min-width, 134
- opacity, 160, 234
- outline, 138
- overflow-x, 142
- overflow-y, 142
- padding, 136–141
- position, 157–162
- resize, 142
- table, 128
- table-layout, 91
- text-align, 45
- text-indent, 46
- text-overflow, 142
- text-shadow, 146–148
- transform, 257
- transform-origin, 258
- vertical-align, 62
- white-space, 142
- word-wrap, 142
- z-index, 160–162
- CSS selectors
 - ::after, 162
 - ::before, 162
 - Attribute, 121
 - Class, 121
 - Combinator, 122
 - Conjunction, 122
 - Id, 121
 - Pseudo-class, 122
 - pseudo-element, 122–123
 - Type, 121
 - Universal, 121
- CSS transform function
 - rotate, 258
 - scale, 258
 - skew, 258
 - translate, 258
- CSS transform matrix, 258
- CSS transition
 - predefined timing functions, 233
 - syntax, 233
 - timing, 233
 - timing function, 234
- CSS transitions, 234
 - triggering, 237
- CSS transparency, 234
- CSS validation, 165
- CSS1, 115
- CSS2, 115
- CSS3, 115, 165
- Custom list markers, 53
- Customer order tables, 410–412
- dashed border-style property, 137
- Data URL, 302
- Database, 390
 - normalization, 410
 - relational, 391
- Database application
 - online orders, 409–420
 - user login, 406–408
- Definition lists, 51
- Deleted type, 43
- Deploying websites, 26
- Development plan, for websites, 23
- DHTML, 19
- Dialog windows, in JavaScript, 241–242
- Diffusion dithering, 68
- Digital audio, 78
- Digital Certificate, 468
- Directionally neutral text, 107
- Dithering, 67–68
- DnD
 - data transfer, 304–305
 - in TicTacToe, 305–308
 - life cycle, 303
 - local files, 313–315
 - TicTacToe game, 303–308
 - Tower of Hanoi puzzle, 309–313
- DnD event
 - drag, 303

`dragend`, 304
`dragenter`, 303
`dragleave`, 303
`dragover`, 303
`dragstart`, 303
`drop`, 303
DNS, 5, 14–15
 resolvers, 15
 servers, 14
DOCTYPE, 30
document
 `referrer`, 288
document fields, 288–289
document methods, 289–290
 `createElement`, 289
 `createTextNode`, 289
 `getElementById`, 289
 `getElementsByClassName`, 289
 `getElementsByTagName`, 289
 `querySelector`, 290
 `querySelectorAll`, 290
 `write`, 289
 `writeln`, 289
document node, 270
Document nodes, 273
Document Object Model (DOM), 111, 270–271
Document root directory, 100
Documentation, 26
DOM
 browser support, 271
 `createElementNS`, 550
 Document interface, 288–290
 Element interface, 282–287
 file upload example, 301–303
 HTMLDocument interface, 288–290
 inserting new content, 290–291
 Node interface, 277–280
 nodes, 270, 273–275
 smart form example, 291–295
 sorting, 295
 structure integrity, 298
 tree structure, 272
 working with, 275–277
DOM tree
 depth-first traversal of, 280–282
Domain names, 3
 IP mapping to, 14
 registration of, 12–15
 servers of, 12
 service, 14–15
 system of, 5
 top-level, 3
Dot notation, 3
dotted border-style property, 137
double border-style property, 137
Dynamic server pages, 25
Elastic design, 138–140
Element nodes, 273–274
Element positioning, 157–162
Elements
 `base`, 77
 block, 158
 child, 134
 `col`, 93
 `head`, 77
 hidden input, 181
 `html`, 30
 image input, 179
 `input`, 180
 `meta`, 77
 parent, 125, 134
 partition, 298, 300
 phrasing, 43
 `select`, 176
 `table`, 85
 `td`, 93
 void, 36
Elements in HTML5, 31–33
Emphasis (italic), 43
Encoding
 forms, 190
 `multipart/form-data`, 180
Entities in HTML5, 31–33
Error checking, 26
 with cascading style sheets, 165
Escape sequences, 33

- European Computer Manufacturers Association (ECMA), 216
European Laboratory for Particle Physics (CERN), 33
Event Listeners, 263–264
Event-handling attributes, 218
Event-handling functions, 219
Events
 click, 221
 in JavaScript, 259–264
 KeyEvent, 262
 load, 221
 mouse, 58, 260
 MouseEvent, 262
 mouseout, 219
 mouseover, 219
 touch, 585–587
 transitionend, 263
 window, 260
Example code
 Absolute, 158
 Accents, 97
 adduser.sql, 478
 AgentDate, 216
 Aggregate, 396
 AirportStatus, 516
 AJAXav, 519, 527
 AJAXUpload, 520, 523, 526
 Alert, 242
 Align, 87
 AMP, 371
 AMP_Img, 377, 380
 AnimClock, 543
 AnimPull, 237
 apacheGlobal.conf, 454
 AutoComplete, 505, 511
 BasicAuth, 347
 Bgclip, 149
 BirdsongMobile, 572, 574
 Border, 138
 BorderImg, 148
 Bubble, 550, 551
 Bullseye, 530
 BullseyeEmbed, 530
 Buttons, 143, 145
 CalcSession, 290
 Callout, 164
 CameraDemo, 588, 590
 Captcha, 367, 368
 Caption, 160
 Cart, 88, 89, 419
 CartForm, 185, 187
 Catalog, 491
 CatalogCss, 491
 CatalogOL, 493
 Catch, 550
 CenteredTable, 89
 CenterPage, 118
 CenterStyle, 118
 CheckBoxes, 175
 Checkerboard, 539
 CheckerBorder, 539
 ChildNodes, 278
 Chinese, 97
 Circle, 141
 ClockAnim, 323, 326
 ClockFace, 320
 ClubForm, 330
 ColGroup, 93
 Collapse, 86
 Confirm, 242
 confphp, 469
 Convert, 225
 Ctc, 318
 DbAuth, 406
 deflate.conf, 460
 Defs, 52
 DemoSite, 581
 Derivative, 560
 Detect, 584
 DirList, 341
 docroot.conf, 454
 DomCalc, 275, 290, 325
 DomDft, 280, 282, 325
 DomNav, 283, 325
 DomSort, 296, 301
 Elastic, 139, 140
 Entity, 96
 EtagPage, 474
 FieldSet, 183

FigCap, 64
FileDnd, 313
FileUpload, 179, 210
FirstPage, 31, 37
Fixed, 160
FixedNav, 159
FlashAudio, 83
FlashVideo, 83
flexibleprotect.conf, 458
Float, 61
FloatClear, 62
FloatLayout, 126, 130
folderprotect.conf, 456
FontFamily, 48
FontSize, 46
FormAction, 200, 201
FormBP, 339
FormLayout, 184
FormPattern, 251, 252
GenAttr, 163
Generated, 162
GeoDir, 592, 594
GeoMap, 591
Gradient, 153
Greek, 98
GreenEarth, 38
Headline, 258
Hello.php, 193, 194
HelloCanvas, 316
HostConf, 472
Hrule, 41
htaccess.conf, 456
HTMLCode, 405
htprotect.conf, 455
Http, 22
ImageInput, 179
ImageUpload, 303
ImgAlign, 62
ImgComp, 86
ImgLink, 60
Infix2Mathml, 556, 560
info.php, 470
InlineQuote, 40
Inset, 146
IStrip, 587
JoinClub, 201
JSHttpGet, 504
JSHttpPost, 504
KeyEvent, 263, 264
KeyFrames, 257
Knocking, 552, 554
Layout, 72
LineEq, 560, 564
List, 51
LiveFM, 79
LoginSession, 365
makeapache.bash, 466
ManageOrder, 427
MarkerStyle, 53
MathMLDemo, 531
Member, 402
Menu, 232, 267
MenuFade, 235
Mirror, 541
MultiCol, 120
MultiFile, 211
myadmin.install, 480
NasaVideo, 82
Navbar, 58
Navbar.php, 197
NavbarClass, 381, 384
NavPanel, 131, 133
NSLookup, 15
OptGroup, 177, 207
OrdersDatabase, 410, 411, 432, 436
OrderUserInterface, 413, 418
PageFrontClass, 382, 384
PaginateDemo, 422, 424
PatternCheck, 182
PDF, 84
PDT, 430
peruser.conf, 454
PHPErr.ini, 471
PHPEtag, 474, 476
PHPXsl, 502
Pizza, 353
Placeholder, 172
Planets, 69, 70
Playlist, 261, 268

- PointClass, 380
PopupWindow, 243
Pre, 42
PRI, 80
Products, 197, 198
Prompt, 242
PullDown, 176
Quote, 40
Radial, 154
RadioButton, 175
Rainbow, 154
Relative, 157
Remove, 550
RequestForm, 213
RollClock, 548
RollImg, 219, 221
RowGroup, 93
RSS, 489
SampleInput, 174
Scroll, 254
SecNum, 162, 163
ShowRequest, 207
SimpleForm, 170
SimpleTable, 86
SimpleVideo, 82
SimpleXMLDemo, 501
SlideKey, 262
Slides, 221, 262
SlidingMenu, 241
SmartForm, 292, 295
SODJs, 507
SODXsl, 510
SortQ, 393
Spacing, 86
Spans, 91, 92
Sports, 10
Spotlight, 544, 545
StockChart, 103, 105
StopClock, 546
SVGclock, 537, 542
SVGScroll, 543
SVGshapes, 533
SVGTriangle, 534
Symbols, 97
TableLayout, 128, 130
TableNest, 94
TableWidth, 90
Template, 196
TextArea, 173
TextNodes, 274
TextOnPath, 535
TextOverflow, 142
TextShadow, 146
TicApp, 598, 599
TicSave, 602, 603, 606
TicTacToe, 308
TicTacToeApplet, 84
TowerOfHanoi, 309
Transform, 257
TwoCol, 119
validuser.conf, 457
Verify, 353
VideoControl, 226
Watermark, 368
WhichType, 277
WhoIs, 14
XmlData, 492
XSLCall, 498
XSLOutput, 509
XSLTemplate, 497
Zoom, 548
Extended interfaces, 272
Fade-in, 234–235
Fade-out, 234–235
Favicons, 102
Feedback, 25, 181
Figure
 in webpage, 64–65
File
 absolute pathname, 443
 access control, 446
 full pathname, 444
 relative pathname, 444
 simple name, 444
File inclusion, 105–106
File picker, 180, 301
File upload processing, 208–211
File uploading, 179–180
Finger swipe, 586

- Fixed positioning, 160–162
- Flash embedding, 83
- Fonts
 - CSS, 48–50
 - cursive*, 49
 - fantasy*, 49
 - monospace*, 49
 - sans-serif*, 49
 - serif*, 49
- Form attributes
 - accept*, 180
 - action*, 171
 - autocomplete*, 181
 - checked*, 175
 - disabled*, 181
 - for*, 172
 - form*, 181
 - formaction*, 179
 - formenctype*, 179
 - formmethod*, 179
 - formtarget*, 179
 - method*, 171, 178
 - multiple*, 177
 - name*, 172
 - placeholder*, 172
 - required*, 173, 174
 - selected*, 177
 - size*, 176
 - type*, 172
 - value*, 173
 - wrap*, 173
- Form checking
 - client side, 252
 - server side, 252
- Form elements
 - fieldset*, 183
 - legend*, 183
- Form essential pats, 171
- Form input
 - formatted, 173–174
 - patterns, 251–252
- Form input type
 - color*, 174
 - date*, 173
 - datetime*, 173
 - datetime-local*, 173
 - email*, 173
 - file*, 179
 - month*, 173
 - number*, 173
 - password*, 181
 - range*, 173
 - search*, 174
 - tel*, 174
 - text*, 172
 - time*, 173
 - url*, 173
 - week*, 173
- Form layout, 184–187
- Form processing, 192–193
- Form processing example, 201
- Form submission, 178–179
- Formdata, 178
- Forms, 25
 - in Dynamic HTML, 295
 - HTTP for, 187–191
 - JavaScript checking of, 252–253
 - layout and styling, 182
 - tabbing order in, 181–182
- Forwarding pages, 100–101
- Fraunhofer Institute, Germany, 78
- Gamma color correction, 66
- Geolocation API, 590–594
- GET method, 21, 169, 191
- GIF (Graphics Interchange Format)
 - format, 60, 66
- Gradient
 - linear, 151–153
 - radial, 153–155
- Graphics
 - encoding formats for, 65–68
- Gray-scale colors, 67
- Grids, 25
- groove border-style* property, 137
- head* element, 31, 32, 77
- head* node, 270
- Headings, in HTML, 41
- hidden* input element, 181

- hidden** property, 161
- Hierarchy**
 - content, 25
- High color, 67
- Highlight type, 43
- Home pages, 25
- Horizontal rules, in HTML, 41
- Horizontal rules, in HTML5, 40
- Horizontal scrolling, 91
- Host environment, of browsers, 216
- hover** display style, 58
- HSL color model, 47
- HTML, 9–10
 - child element, 30
 - close tag, 30
 - element, 30
 - open tag, 30
 - comments in, 30
 - end tags, 30
 - evolution, 33–34
 - first sample page, 31
 - line break, 39
 - links in, 53–58
 - lists in, 50–53
 - nonbreaking space, 39
 - phrasing elements of, 43
 - presentation styles in, 44–46
 - replaced element, 59
 - start tags, 30
 - user agent, 29
 - void element, 30
 - white space and line wrapping in, 41–42
- HTML attributes
 - accesskey**, 182
 - autofocus**, 181
 - pattern**, 182
 - tabindex**, 181
- HTML elements
 - background, 149–151
 - optgroup**, 177
 - option**, 176
 - script**, 217
- HTML form
 - file uploading, 179–180
- text input, 172–173
- HTML input elements, 181
- html** node, 270
- HTML5, 29
 - camera API, 588–590
 - character encoding, 96–97
 - character references, 97–98
 - contenteditable** API, 373
 - contenteditable** attribute, 370
 - core attributes of, 37
 - debugging, 73
 - elements and entities in, 31–33
 - embedding Flash, 83
 - embedding Java Applet, 84–85
 - embedding media, 83–85
 - embedding PDF, 84
 - File API, 523
 - headings and paragraphs in, 41
 - image maps in, 68–70
 - including SVG and MathML, 529–532
 - input elements, 171–172
 - internationalization, 107
 - main features, 34–35
 - markup validator, 73
 - named character references, 97
 - page structure, 30–31
 - rich-text editing, 369
 - syntax of, 35–36
 - top-level elements, 32
 - transparent element, 70
 - validation, 73
- HTML5 APIs
 - camera, 588
 - canvas**, 315–323
 - contenteditable**, 373
 - DOM, 271
 - Drag and Drop, 306
 - file, 301
 - geolocation, 590
 - local storage, 600
 - media, 226, 261
 - offline cache, 599
 - selectors, 287, 290
 - URL, 589

Web storage, 600
HTML5 DOM
 overview, 271–275
HTML5 elements
 a, 43, 53
 area, 68
 aside, 38
 audio, 79–80
 blockquote, 40
 body, 94
 canvas, 315–323
 code, 43
 del, 43
 div, 46
 dl, 51
 em, 43
 embed, 83
 figcaption, 64
 figure, 64–65
 form, 170
 h1–h6, 38
 head, 98–102
 hr, 40
 img, 59
 kbd, 43
 map, 68
 mark, 43
 nav, 38, 58
 object, 83
 ol, 50
 output, 291
 p, 38
 pre, 42
 q, 40
 samp, 43
 source, 79
 span, 43
 strong, 43
 sub, 43
 sup element, 43
 table, 85–87, 94
 textarea, 173
 time, 44
 ul, 50
 var, 43
 video, 82
 wbr, 42
HTML5 entities, 95–96
HTML5 prefetch, 100
HTMLElement
 blur(), 287
 className field, 286
 classList field, 286
 focus(), 287
 getAttribute(), 286
 hasAttribute(), 287
 innerHTML field, 286
 removeAttribute(), 287
 setAttribute(), 286
 style field, 286
htpasswd (Linux command), 460
HTTP
 basic authentication, 343–345
 connection termination, 20
 connections, 20
 entity tag, 473
 ETag, 473
 get method, 170
 message format, 188–191
 post method, 170
 Processing, 20
 queries, 20
 request processing, 439
 response, 440
 responses, 20
 HTTP caching, 473–476
 HTTP method
 GET, 21
 POST, 21
 HTTP port, 437
 HTTP Request exposed, 207
 http-equiv meta tag, 101
 httpd (Linux command), 440
 HTTPS, 191, 467
 HTTPS port, 437
 Hyperlink styles, 95
 Hypertext Markup Language (HTML),
 8–10
 Hypertext Preprocessor (PHP), 17

- Hypertext Transfer Protocol (HTTP), 19–22
for forms, 187–191
- Id** selectors, 125
- Iframe
accessing parent JavaScript, 378
JavaScript access by parent, 378
sandbox, 104–105
- Iframe controls, 104–105
- Iframes, 102–105
- Image
borders, 148–149
clickable, 60
display (Linux command), 60
floating, 61–62
formats, 60
links, 60–61
rollover, 60
text around, 61–62
thumbnail, 61
Tooltip for, 60
- Image alignment, 62–64
- Image in webpage, 59–64
- Image input element, 179
- Image maps, 68–70
active areas, 68
- Images
aliasing, 66–67
anti-aliasing, 66–67
dithering, 67–68
raster, 67
- In-page navigation, 56
- Indenting, 46
CSS, 117–118
- Index color, 67
- Index files, 7
- Information architecture (IA), 24
- Inheritance, 125, 272
- init script `/etc/init.d/httpd`, 451
- Initial containing boxes, 133
- Inline boxes, 135
- Inline elements, 32
- Inline mode, 134–135
- Inline quotations, 40
- Inline-block mode, 135
- Input control events, 260
- input** element, 180
- Input field initial value, 173
- inset border-style** property, 137
- Integrated development environment (IDE), 10
- Interlacing, in PNG format, 66
- Internal nodes, 272
- International Electro-Technical Commission (IEC), 78
- International Organization for Standardization (ISO), 78, 96, 107, 216
- Internet, 5, 6
address, 3
- Internet Corporation for Assigned Names and Numbers (ICANN), 13, 15
- Internet Protocol (IP), 3, 14–15
- Internet Service Providers (ISPs), 15
- Italic type, 43
- item** method, 278
- Itemized Lists in HTML, 50–53
- Java applet, 84
- JavaScript, 19, 33, 161
arrays, 223–224
audio/video control, 226–228
beginning, 216–218
Boolean values, 245
built-in functions, 246
built-in functions of, 246
closure, 240
conversion calculator in, 225–226
Cross-browser error, 265
debugger, 266
decodeURI function, 246
description of, 216
encodeURI function, 246
encodeURIComponent function, 246
events in, 259–264
foreach loop, 224
foreach loop, 224
form checking in, 252–253

function definition, 247
image rollovers, 219–221
language basics, 245–252
Logical error, 265
loops, 247
new window, 242–245
`Number` function, 246
operators, 245–246
`parseFloat` function, 246
`parseInt` function, 246
pattern matching, 248–252
pattern notation, 249
patterns in, 249–252
placing in webpages, 218–219
quicksort, 298–301
regular expressions, 249
run-time error, 265
slide show, 221–223
Strict equality operators, 245
`String` function, 246
string concatenation, 217
strings, 246
syntax checking, 265
testing and debugging in, 265–
266
`try` block, 276
windows in, 241–245

JavaScript exceptions, 276

JavaScript methods

- `indexOf`, 246
- `lastIndexOf`, 246
- `match`, 248
- `replace`, 250
- `search`, 250
- `split`, 251
- `substr`, 246
- `test`, 250
- `toString`, 245
- `valueOf`, 245

JPEG (Joint Photographic Experts Group) format, 60, 66

JSON, 513

Keyboard events, 260

`keyCode` property, 262

KeyEvent, 262

LAMP, 12, 437

Language Codes, 107

Layout

- float, 126–128
- pane, 579–581
- table, 128–130

Layout grid , 94

Layout of page, 125–130

Layouts

- of webpages, 25

Leading, 135

Leaf nodes, 273, 274

`length` field, 278

Line boxes, 135

Line breaks, 39

Lines

- response, 189
- wrapping of, 39, 41–42

Link

- checker, 73

Link targets, 104

Links

- broken, 26
- display of, 58
- download, 57
- email, 56–57
- internal and external, 55
- on image, 60–61
- to services, 56–57
- `target` attribute in , 104
- telephone/fax/SMS, 57
- VOIP call, 57

Links in HTML, 53–58

Linux

- files and folders, 443–446

Linux command

- `apache2ctl`, 451
- `apachectl`, 451
- `cd`, 444
- `chkconfig`, 450
- `chmod`, 447–449
- `htpasswd`, 460
- `httpd`, 440

- ls**, 446–447
- make**, 470
- mysql**, 476
- mysql_secure_installation**, 477
- mysqladmin**, 478
- mysqld**, 477
- netstat**, 477
- pidof**, 450
- pwd**, 444
- service**, 449
- su**, 446
- sudo**, 464–465
- system-config-services**, 449
- Linux Shell
 - commands, 442
 - intro, 442
- Linux systems, 60
- List item marker, 52
- List-item mode, 135
- Live objects, 279
- Loading times, 26
- Local stacking context, 161
- Local storage, 600–603
- localStorage** API, 601
- Login
 - basic authentication, 343
 - logic, 356
 - PHP session, 357–365
 - session, 355–365
 - user registration, 361
- Look-and-feel, of website, 24
- Macromedia Dreamweaver, 10
- Maintenance, of websites, 26
- Manifest, 597
- Margins, 95, 118, 133
- Markup tags, 10
- MathML, 34, 98, 555
 - content, 555
 - for education, 560
 - in HTML5, 529
 - mixed, 558
 - presentation, 555
- MathML markup language, 98
- Media container, 79
- Ogg, 79
- Webm, 79
- Media events, 260
- Media query, 572–575
- Media-specific style sheets, 115
- Menus
 - animated, 236–237
 - fade-in, 234–235
 - pull-down, 176–177
 - sliding, 237–241
- Message headers, 189
- meta** element, 77
- Metadata, 98–101
- MIME, 440
- MIME (Multipurpose Internet Mail Extensions), 9
- mkdir** (Linux command), 445
- Mobile browser
 - detection, 582–584
 - momentum scroll, 587
 - viewport, 581
- Mobile device orientations, 569
- Mobile webpage, 575–582
 - layout, 570–572
 - multi-pane layout, 576
- Mobile website
 - convert to, 595–597
 - redirection, 582–584
 - slide show, 584–587
 - strategies, 569–570
 - testing, 603–604
- Mobile website browsing, 568–569
- Momentum scroll
 - in block element, 587
- Monochrome colors, 67
- Mouse events, 58, 260
- MP3 sound format, 78
- MPEG, 78
- MPEG 4, 81
- multipart/form-data** encoding, 180
- Multistep forms, 206
- mv** (Linux command), 445
- MySQL
 - administration, 478–480
 - configuration, 477

- controlling, 476–477
- data modifiers, 402
- data types, 401–402
- DELETE** query, 408–409
- expressions, 394–395
- INSERT IGNORE** query, 409
- INSERT** query, 407–409
- install, 481
- regular expressions, 395
- REPLACE** query, 409
- root password, 479
- server and client, 477
- UPDATE** query, 408
- MySQL database server, 476–481
- MySQL Query Browser, 479
- MySQL Workbench, 479, 481
- NamedNodeMap** object, 279
- Names of Languages (ISO 639-1), 107
- Navbar via CSS, 130–133
- Navigation
 - in-page, 56
 - major, 56
 - minor, 56
- Navigation bars, 58–59
- Navigation systems, 24
- Nested lists, 52
- Network
 - host, 1
 - layer, 2
 - services, 3
- Networks, 5, 6
- NEWLINE**, 41
- Node** objects, 272
- node.appendChild** method, 279
- node.hasChildNodes** method, 279
- node.insertBefore** method, 280
- node.removeChild** method, 279
- node.replaceChild** method, 280
- NodeList** object, 279
- Nodes, 14
- Nodes in DOM, 273–275
- Numbered lists, 50
- Numeric character references, 97
- Object-oriented language, 216
- Object-oriented programming (OOP), 272
- Objects, 279
- Offline caching, 597–600
- Offline webapp
 - updating, 600
- Ordered lists, 50
- Output, sample, 43
- outset border-style** property, 137
- Overflow content, 142
- Overlapping, 160
- ownerDocument** field, 279
- Package management, 482–483
 - APT, 483
 - YUM, 482–483
- Packet switching, 4
- Padding, 133, 136
- Page editing, 370–380
- Page makers, 10
- Page templates, 25, 329–332
- Pages
 - forwarding, 100–101
 - portable, 101
 - terms and conditions of service, 100
- Paragraphs, 39, 41
- Parent elements, 33, 125, 134
- Partition element, 298, 300
- Password encryption, 460
- Password input, 181
- Patterns
 - dithering of, 68
 - in JavaScript, 249–252
- Payment gateway, 425
- Payment gateways, 424
- PayPal, 426
- PDF embedding, 84
- Per-user Web space, 439, 454
- Perceptual audio, 78
- PHP
 - array functions, 200
 - arrays, 199
 - basic authentication, 345–348

- basic authentication logout, 347–348
Boolean constants, 197
built-in functions, 334
change configuration, 472
class, 381–384
command-line mode, 342
conditionals, 197–198
configuration, 471–472
configuration file, 470
constructor, 382
data object (PDO), 436
data types, 196
database access, 402–406
database connecting, 403–404
database queries, 404–406
database results, 404–406
debugging, 342–343, 471
defining functions, 332–334
directory listing, 341
error reporting, 342–343
file I/O, 340–341
file processing, 470
file system functions, 340
form generation, 336–338
form processing, 200–201, 338–339
form processing example, 205
FormData, 195
function arguments, 333
function definition, 332
functional argument, 334
global variables, 333
image manipulation, 365–369
introduction, 195–199
logical operators, 197
loops, 206
manual install, 469–470
MySQL error, 420–424
MySQL prepared statements, 430–432
MySQL result, 420–424
OOP, 380–384
page templates, 329–332
password check, 346
`phpinfo()`, 470
predefined variables, 195
reference parameter, 333
script security, 384
security, 386, 471
sending email, 205
session control, 348–353
session support, 349–350
`SimpleXMLElement`, 500
string functions, 198
strings, 198–199
super globals, 195, 333
`$_GET`, 207
`$_POST`, 207
`$_REQUEST`, 207
`$_SERVER`, 207
switch to HTTPS, 346
system calls, 384–385
testing, 470
variables, 195–196
watermarking photo, 368
XML processing, 500–502
XSL transforms, 501–502
YUM install, 469
PHP (Hypertext Preprocessor), 17, 106
PHP function
 `basename`, 198
 `empty`, 203
 `implode`, 207
 `is_array`, 207
 `require`, 196
 `require_once`, 197
 `session_destroy`, 350
 `session_start`, 349
 `trim`, 201
 `unset`, 196
PHP mysqli query error, 420
PHP operator `echo`, 194
PHP scripting overview, 193–195
PHP security, 385
PHP session example, 351–353
PHP:function returning reference, 333
phpMyAdmin, 433, 479
phpMyAdmin install, 480

- Phrasing elements, 43–44
Picture in webpage, 59–64
pidof (Linux command), 450
Pixels, 60, 66
Placing JavaScript, 218–219
PNG (Portable Network Graphics) format, 60, 66
Polyglot, 35

Pop-up windows, 243
Port numbers, 7
Portable pages, 101
Position of elements, 232
Positioning
 explicit, 157

- Session
 - timeout, 365
 - what is a, 348
- Session control, 181
 - techniques, 348–349
- `sessionStorage` API, 603
- Shopping cart, 418–420
- Show formdata, 207
- Shrink-to-fit, 135
- Sites
 - map of, 24
 - production of, 25
 - skeletal, 24
- Slide show, 221–223
- Sliding menus, 237–241
- Smart forms, 295
- Smartphone
 - `userAgent`, 583
 - airplane mode, 599
 - browsers, 567
 - detection, 583
 - display width/height, 575
 - features, 587–595
 - media query, 573
 - OS shares, 567
 - sales, 567
 - screen sizes, 568
 - style sheet, 574
- SOAP, 512
- `solid border-style` property, 137
- Sortable tables, 298
- Span, of rows and columns, 92
- Special characters, JavaScript, 250
- Specification modules, 115
- SQL, 391–399
 - aggregating queries, 396–398
 - comments in, 393
 - `CREATE TABLE`, 399–402
 - `FOREIGN KEY`, 412, 417–418
 - keywords, 393
 - logical operators, 395
 - `NULL` value, 394
 - `ON DELETE` clause, 412
 - `ON UPDATE` clause, 412
 - pattern matching, 395
- primary key, 400
- queries, 392–399
- `SELECT` query, 395–399
- `SELECT`, 392
- `SELECT DISTINCT`, 393
- `SHOW`, 394
- table joins, 398–399
- three-value logic, 394
- `WHERE` clause, 393
- SQL injection, 432–433
- SQL query
 - keywords, 393
 - terminator, 393
 - what is a, 392
- SSL/TLS, 467–468
- Stack levels, 160–162
- Standard Generalized Markup Language (SGML), 33
- Storyboards, 25
- String literal, in JavaScript, 217
- Strong emphasis (**bold**), 43
- Stronger emphasis (**highlight**), 43
- Style
 - multicolumn layout, 119–120
 - rules, 113
 - validator, 73
- `style` attribute, 125
- `style` field, 286
- Style rules, 111
- Style sheets, 33, 45, 113–114
- `style-element` approach, 115
- Styles
 - HTML, 44–46
 - of link display, 58
 - pseudo-class selectors and, 123
- Styling
 - list, 52–53
- `su` (Linux command), 446
- Submit buttons, 178–179
- Subscripts, 43
- Superscripts, 43
- SVG, 34, 532–537
 - animation, 541–545
 - animation freeze, 543
 - animation repeat, 543

- arcs, 536–537
- as `img src`, 531
- color gradient, 552
- CTM, 539–541
- DOM, 549–551
- embedded, 531
- image element, 533
- in HTML5, 529
- knocking ball, 552–554
- marker, 538
- path commands, 534
- path element, 534–535
- pattern, 538, 539
- raster graphics in, 533–534
- scripting, 545–551
- shape elements, 532–533
- text element, 535
- transforms, 539–541
- SVG animation
 - `additive`, 544
- SVG DOM
 - `SVGSVGElement`, 549
- SVG plus MathML, 560–564
- SVG style
 - `pointer-events`, 547
- SVG transform
 - `zoom`, 537
- SVG versus Canvas, 554–555
- Syntax, HTML5, 35–36
- system-config-services** (Linux command), 449
- Tabbing order, 181–182
- Tabbing order, form, 181–182
- Table
 - `captions`, 86
 - cell content alignment, 87–88
 - layout, 90–92
 - row/column span, 91–92
 - rules, 92–93
- Table cell
 - `colspan`, 89
 - `colspan` attribute, 91
 - `, 89`
 - `attribute, 91`
- Table style
 - `border`, 86
 - `border-collapse`, 86
 - `border-spacing`, 86
- `tableNode` variable, 284
- Tables
 - displaying, 88–89
 - in webpages, 85–94
- Tables in HTML5
 - positioning, 89–90
- Tags, 35
- `tbody`, 93
- `td` element, 93
- Terms and conditions of service pages, 100
- Testing
 - JavaScript, 265–266
 - mobile website, 603–604
 - PHP, 470
 - websites, 26
- Text
 - alignment of, 45–46
 - directionally neutral, 107
 - fonts for, 48–50
 - preformatted, 42
- Text nodes, 274–275
- Text shadows, 146–148
- `text-align: center` declaration, 117
- `text-indent` property, 46
- `textarea`
 - initial value, 173
 - soft/hard wrap, 173
- `tfoot`, 93
- `thead`, 93
- Thumbnail images, 61
- Time format, 44
- Title bar, 31
- `title` element, 31
- Top-level domain, 3, 13
- Touch events, 585–587
 - `touchend`, 585
 - `touchmove`, 585
 - `touchstart`, 585
- Touch icon, 595
- Touch-screen, 568

- operations, 568
- tr** element, 86
- Transaction finished, in HTTP, 188
- transparent** property, 160
- Transport Layer Security (TLS), 467
- Traversal, of DOM tree, 280–282
- Tree nodes, 270
- True color, 67
- 24-bit color, 47–48

- Underlining, 58, 124
- UNICODE, 77
- Unicode characters, 96
- Uniform Resource Locators (URLs), 7–8
- Universal Character Set (UCS), 96
- University of Erlangen, Germany, 78
- Unordered lists, 50
- Uploading files, 179–180
- Uploading multiple files, 210–211
- URI, 438–439
- URL, 438–439
 - encoding, 8
 - full, 7
 - relative, 7
- URL component
 - pathinfo, 438
 - pathname, 7
 - query string, 7
 - scheme, 7
 - server, 7
 - URI, 438
- User input form, 170
- User profile, 364
- userAgent**, 582
- UTF-8, 96

- Validation, 26, 165
- Vector graphics, 66
- Verify security code, 353–355
- Vertical spacing, 50
- vertical-align** property, 63
- vertical-align** property, 135
- Video
 - codecs, 81–82
- containers, 81
- format converter, 79
- video** attributes, 82
- Viewport, of mobile browser, 581–582
- Visibility, 160–162
- visibility** property, 161
- visited** display style, 58
- Visual communication, 24–25
- Void elements, 36

- W3C, 123, 270
- Web, 9
 - audio, 78–80
 - Client, 6
 - development, 22–26
 - development principles for, 22–23
 - development process for, 23–26
 - dynamic page generation, 15–17
 - file access, 448–449
 - hosting, 12
 - HTTP request, 439
 - HTTP response, 440
 - request, 439
 - Server, 6
 - server, 437–438
 - URLs, 7–8
 - video, 80–82
- Web application, 597–603
- Web file
 - accessible, 448
 - overwritable, 448
- Web folder
 - accessible, 448
 - writable, 448
- Web server
 - document root, 439
 - document space, 8, 439
- Web service, 511–513
 - address verification, 516–520
 - airport status, 513
 - examples, 512–513
 - from PHP, 513–516
 - what is, 511
- Web storage, 600–603
- Webapp, 597–603

- Webpage
 - architecture, 37–42
 - layout, 71–72
- Website
 - architecture, 23–24
 - organization and navigation, 55–56
 - payment processing, 424–430
- Website organization, 105–106
- Well-formed elements, 36
- White space, 39, 41–42
- whois** command, 13
- window object, 241
 - window properties, 241
 - window.open options, 244
 - window.setInterval, 255
 - window.setTimeout, 255
- Windows in JavaScript, 241–245
- WOFF, 156
- World Wide Web, 9
- Wrapping, line, 39, 41–42
- XML
 - browser display, 491–492
 - default namesapce, 524
 - document format, 488–491
 - document syntax, 490–491
 - introduction, 487–488
 - namespace prefix, 524
 - namespace qualifier, 524
 - processing instructions, 488
 - validity, 491
 - vocabulary, 524
 - what is, 487
 - XSL, 493–495
- XML application, 487
- XML document
 - content type, 491
 - valid, 491
 - well-formed, 491
- XML documents, 488
- XML namespaces, 523–525
- XPath, 493, 494
 - context node, 502
 - functions, 503
- location notations, 502
- XPath location notations, 503
- xPosition** function, 232
- XSL
 - copy-of** element, 495
 - named templates, 498–500
 - sort** element, 500
 - sorting, 500
 - stylesheet** element, 494
 - templates, 496–498
 - value-of** element, 494
- XPath, 502–504
- XSL document
 - parameters, 494
 - root, 494
 - template rules, 494
 - variables, 494
- XSL namespace, 494
- XSLT, 493
- yPosition function, 232
- yum** (Linux command), 482
- Zones, of name servers, 14